


EFRE: Frozen ET optimization:
Highlight on the new finetuning of each preparation
modality


## Please Scan the QR Code




1- Is there a rule for Gn Rh agonist use before HRT in cases with endometriosis and adenomyosis?

🔲 Сору










2- In HRT cycles, is there a maximum duration for using estradiol to reach the targeted endometrium thickness?



35 responses




A- Yes

B- No

C- variable in literature


3- in HRT: For P: does the route of progesterone administration affect the the rate of early pregnancy loss?






4- Is there upper ceiling for P level during HRT?

🔲 Сору






5- is there a rule for rescue P injection in HRT cycles?




35 responses



A- YesB- No

C- not sure

6- in True natural cycle, how to detect LH surge







- A- increase of 180% LH level above previous day
- B- LH equal 20 IU/I and more
- C- increase LH and 30% drop in E2 level
- D- any of the above

7- in true natural cycle, the best time to transfer D5 blastocyst 35 responses










8- in modified natural cycle, is it better to measure LH on trigger day?












9- In modified natural cycle, if LH surge occurs on the planned HCG trigger day








- A- to give HCG also
- B- not to give HCG
- C- Not Sure

10-for preparation of the endometrium in FET cycles using letrozole for mild OS: what is the preferred option





- A- to give HCG upon reaching the dominant follicle?
- B- To serially follow LH surge and transfer embryos accordingly without HCG Administration?
- C- measure LH on HCG trigger day and manage accordingly
- D- Any of the above