




EFRE Placenta accreta spectrum

Please Scan the QR Code




1. What is the gold standard for diagnosis of Placenta accreta spectrum?

54 responses




2. When to terminate pregnancy with PAS

54 responses



3. How to differentiate between c-scar ectopic and early pregnancy with risk of PAS


54 responses



- A- Gestational sac bulging into the C scar niche
- B- part of the chorionic plate is attached to the niche
- C - bulging of the whole gestational tissue into the niche (outpouching)

4. When to decide to perform hysterectomy


54 responses



- A- Prior to surgery
- B- During surgery
- C - Both

5. Decision of hysterectomy prior to surgery is based on


54 responses



- A- Surgeon's experience
- B- Degree of PAS

6. Decision of hysterectomy during surgery is based on


54 responses



- A- Patients general condition (anaesthesia assessment)
- B- Severity of the pathology

7. First step in surgery is


54 responses



- A- Delivery of the fetus
- B- Complete dissection of the bladder flap.

8. If you are planning for conservation your incision should be


54 responses



- A- 1cm above the placental bulge
- B- At the placental bulge


9. If you are planning for hysterectomy your incision should be

54 responses




10. In conservative surgery is it mandatory to identify the ureters

54 responses




11. In hysterectomy is it mandatory to identify the ureters

54 responses



12. Where to put your clamps in hysterectomy for PAS


54 responses



- A- At the level of the uterine arteries
- B- Below the lower edge of the placenta.

13. Don't think about conservative surgery if


54 responses



- A- Patient demands hysterectomy
- B- Severe cervical infiltration
- C- Both

14. How to be ready for your surgery


54 responses



- A- multidisciplinary team
- B- blood and blood products
- C- Both

15. In conservative surgery how do you separate the placenta

54 responses



- A- start from posterior wall downwards and anterior
- B- starts from scar downwards and posterior
- C- other